

FREDERICK M. SWAIN - PUBLICATIONS

BOOKS AND LARGER MONOGRAPHS

Swain, F. M., 1970. *Non-Marine Organic Geochemistry*. Cambridge University Press, 445 p.

Swain, F. M., Kornicker, L. S. and Lundin, R. F, 1974 (Eds.) *Biology and Paleobiology of Ostracoda*. Ithaca, N. Y., Bull. Amer. Paleontology, v. 65, no. 282, 687 p.

Swain, F. M. (Ed), 1977. *Stratigraphic Micropaleontology of Atlantic Basin and Borderlands*. Amsterdam, Elsevier Scientific Publ. Co., 603 p.

Swain, F. M., 1976. *Ostracoda from the Gulf of California*. Geol. Soc. America Memoir 101, 139 p.

Swain, F. M. and Anderson, E. G., 1993. *Stratigraphy and Ostracoda of the Cotton Valley Group, Northern Gulf Coastal Region*. Louisiana Geol. Survey, Geol. Bull. 45, 241 p., 16 pls.

Swain, F. M., 1999. *Fossil Nonmarine Ostracoda of the United States*. Amsterdam, Elsevier Science, 401 p, 34 pls.

RESEARCH PAPERS AND MONOGRAPHS

Swartz, F. M. and Swain, F. M., 1941. *Ostracodes from the Middle Devonian Onondaga Formation in central Pennsylvania*. Geol. Soc. Amer. Bull., v. 52, p 381-458

Swain, F. M., 1944. *Stratigraphy of Cotton Valley beds of northern Gulf coastal plain*. Amer. Assoc. Petrol. Geol., v. 28, p. 577-614.

Swartz, F. M. and Swain, F. M., 1946. *Upper Jurassic Ostracoda from the Cotton Valley Group of Louisiana and Arkansas*. Jour. Paleontology, v. 20, p. 362-373.

Swain, F. M., 1946. *Upper Jurassic Ostracoda from the Cotton Valley Group in northern Louisiana: the Genus Hutsonia*. Jour. Paleontology, v. 20, p. 119-129.

Swain, F. M., 1946. *Ostracoda from the Tertiary of Florida*. Jour. Paleontology, v. 20, p. 374-383.

Swain, F. M., 1946. *Middle Mesozoic nonmarine Ostracoda from Brazil and New Mexico*. Jour. Paleontology, v. 20, p. 543-555.

Swain, F. M., 1946. *Geology and economic aspects of the more important high-calcium limestones in Pennsylvania*. Pennsylvania State College, Mineral Industries Experiment Station, Bull. 43, p. 1-30.

Swain, F. M., 1947. *Two recent wells in coastal plain of North Carolina*. Amer. Assoc. Petrol. Geol. Bull., v. 31, p. 2054-2060.

- Swain, F. M., 1947. Tertiary nonmarine Ostracoda from the Salt Lake Formation, northern Utah. *Jour. Paleontology*, v. 21, p. 518-528.
- Swain, F. M., 1948. Ostracoda, Hammond well. (In) *Cretaceous and Tertiary Subsurface Geology*, J. L. Anderson (Ed). Maryland Dept. Geol. Mines and Water Res., Bull. 2, p. 187-213.
- Swain, F. M., 1949. Onlap, offlap, overstep and overlap. *Amer. Assoc. Petrol. Geol. Bull*, v 33, p. 634-636.
- Swain, F. M., 1949. Upper Jurassic of northeastern Texas. *Amer. Assoc. Petrol. Geol.*, v. 33, p. 1206-1250.
- Swain, F. M., 1949. Early Tertiary Ostracoda from the western interior United States. *Jour. Paleontology*, v. 23, p. 172-180.
- Swain, F. M. and Peterson, J. A., 1951. Ostracoda from the Upper Jurassic Redwater Shale Member of the Sundance Formation at the type locality in South Dakota. *Jour. Paleontology*, v. 26, p. 769-807.
- Swain, F. M., 1951. Ostracoda from wells in North Carolina, Part. 1, Cenozoic Ostracoda. U. S. Geol. Survey. Prof. Paper 234A, 58 p.
- Swain, F. M., 1952. Ostracoda from wells in North Carolina, Part 2, Mesozoic Ostracoda. U. S. Geological Survey, Prof. Paper 234B, p. 59-83.
- Swain, F. M. and Peterson, J. A., 1952. Ostracodes from the upper part of the Sundance Formation of South Dakota, Wyoming and southern Montana. U. S. Geological Survey, Prof. Paper 243A, 58 p.
- Swain, F. M., 1953. Ostracodes from the Camden Chert, western Tennessee. *Jour. Paleontology*, v. 27, p. 257-284.
- Swain, F. M. and Prokopovich, N., 1954. Stratigraphic distribution of lipid substances in Cedar Creek Bog, Minnesota. *Bull. Geol. Soc. Amer.*, v. 64, p. 600-653.
- Swain, F. M., 1955. Ostracoda of San Antonio Bay, Texas. *Jour. Paleontology*, v. 29, p. 541-646.
- Swain, F. M., 1956. Stratigraphy of lake deposits in central and northern Minnesota. *Amer. Assoc. Petrol. Geol. Bull*, v. 40, p. 600-653.
- Swain, F. M., 1956. Early Tertiary ostracode zones of Uinta Basin. *Intrermountain Assoc. Petrol. Geol.*, p. 125-138.
- Swain, F. M., 1957. Early Middle Ordovician Ostracoda of the eastern United States. *Jour. Paleontology*, v. 31, p. 528-570.
- Swain, F. M. and Prokopovich, N., 1957. Stratigraphy of upper part of sediments of Silver Bay, Lake Superior. *Geol. Soc. Amer., Bull.*, v. 68, p. 527-642.

- Swain, F. M., Blumentals, A. and Prokopovich, N., 1958. Bituminous and other organic substances in Precambrian of Minnesota. Amer. Assoc. Petrol. Geol. Bull., v. 42, p. 173-189.
- Swain, F. M. and Meader, R. W., 1958. Bottom sediments of southern part of Pyramid Lake, Nevada. Jour. Sed. Petrol., v. 28, p. 286-297.
- Swain, F. M., 1958. Organic materials of early Middle Devonian, Mt. Union area, Pennsylvania. Amer. Assoc. Petrol. Geol., Bull., v. 42, p. 2858-2891.
- Swain, F. M., Blumentals, A. and Millers, R., 1959. Stratigraphic distribution of amino acids in peats of Cedar Creek Bog, Minnesota and Dismal Swamp, Virginia. Limnology and Oceanography, v. 4, p. 119-127.
- Palacas, J. G., Swain, F. M. and Smith, F., 1960. Presence of carbohydrates and other organic compounds in ancient sedimentary rocks. Nature, v. 185, p. 234.
- Swain, F. M., 1961. Cypridacea (In) Moore, R. C. et al., Treatise on Invertebrate Paleontology, Geol. Soc. Amer., part Q, p. 208-254.
- Swain, F. M., 1961. Limnology and amino acid content of some lake deposits in Minnesota, Montana, Nevada and Louisiana. Geol. Soc. Amer. Bull., v. 72, p. 519-646.
- Swain, F. M., 1961. Ostracoda from the Pleistocene Gubik Formation, Arctic coastal plain, Alaska (In) Geology of the Arctic, Univ. Toronto Press, p. 600-606.
- Swain, F. M., Cornell, J. R. and Hansen, D. L., 1961. Ostracoda of the Families Aparchitidae, Aechmenidae, Leperditellidae, Drepanellidae, Eurychilinidae and Punctaparchitidae from the Decorah Shale of Minnesota. Jour. Paleontology, v. 35 (2), p. 345-372.
- Swain, F. M., 1961. Reporte preliminar de los sedimentos del fondo de los Lagos Nicaragua y Managua. Bol. Servicio Geologico Nacional de Nicaragua, v. 5, p. 11-32.
- Swain, F. M., 1961. Stratigraphic distribution of furfurals and amino compounds in Jurassic rocks of Gulf of Mexico region. Amer. Assoc. Petrol. Geol., Bull., v. 45, p. 1713-1720.
- Swain, F. M., 1961. Corrections: recent papers on Mesozoic and Cenozoic Ostracoda. Jour. Paleontology, v. 35 (2), p. 236.
- Swain, F. M., 1962. Middle Ordovician Ostracoda of the eastern United States: part 2. Jour. Paleontology, v. 36, p. 719-744.
- Swain, F. M., 1962. Emendation of Candonidae, Eucandonidae, Candona and Eucandona, etc. Jour. Paleontology, v. 36, p. 838-839.
- Swain, F. M., 1963. Stratigraphic distribution of some residual organic compounds in Upper Jurassic. Amer. Assoc. Petrol. Geol., Bull., v. 47, p. 777-803.

- Swain, F. M., 1963. Pleistocene Ostracoda from the Gubik Formation, Arctic coastal plain, Alaska. *Jour. Paleontology*, v. 37, p. 798-834.
- Swain, F. M., 1963. Geochemistry of Humus. (In), Breger, I.A. et al. *Organic Geochemistry*, Pergamon Press, Oxford, p. 87-145.
- Swain, F. M., 1964. Early Tertiary Ostracoda from Colorado, Nevada and Utah and their stratigraphic distribution. *Jour. Paleontology*, v. 38, p. 256-280.
- Swain, F. M. and Venteris, G., 1964. Distribution of flavinoids and some other heterocyclic substances in lake sediments. (In) *Advances in Organic Geochemistry for 1962*, McMillan, New York, p. 199-214.
- Swain, F. M., Venteris, G. and Ting, F., 1964. Relative abundance and order of stability of amino acids in some aquatic plants and associated freshwater sediments. *Jour. Sed. Petrol.*, v. 34, p. 25-45.
- Swain, F. M., Paulsen, G. W. and Ting, F., 1964. Chlorinoid and flavinoid pigments from aquatic plants and associated lake and bay sediments. *Jour. Sed. Petrol.*, v. 34, p. 561-598.
- Swain, F. M., Miller, P. L. and Mandelbaum, E. C., 1964. Ostracoda from Gulf of California, (In) Van Andel and Shor, eds, *Marine Geology of the Gulf of California - A Symposium*. Amer. Assoc. Petrol. Geol., Memoir 3, p. 395-397.
- Swain, F. M. and Brown, P. M., 1964. Cretaceous Ostracoda from wells in the southeastern United States. *North Carolina Dept. Conserv. and Devel.*, Bull. 78, 55 p.
- Swain, F. M., 1964. Tertiary freshwater Ostracoda of the Uinta Basin and related forms from southern Wyoming, western Utah, Idaho and Nevada. *Intermountain Assoc. Petrol. Geol.*, 13th Ann. Field Conf. Guidebook, p. 173-180.
- Swain, F. M. and Gilby, J. M., 1964. Ecology and taxonomy of Ostracoda and an alga from Lake Nicaragua. (In) H. M. Puri (ed.) *Ostracods as ecological and paleoecological indicators*. Publ. Stazione Zool., Napoli (suppl), p. 381-386.
- Burr, J. H. and Swain, F. M., 1965. Ostracoda of the Dubuque and Maquoketa Formations of Minnesota and northern Iowa. *Minnesota Geol. Survey, Spec. Publ.* 3, 40 p.
- Swain, F. M., 1965. Geochemistry of some Quaternary lake sediments of North America. (In) *Quaternary of the United States*, H. E. Wright, Jr. and D. G. Frey (Eds), Princeton Univ. Press, p. 765-781.
- Swain, F. M., 1966. Distribution of some organic substances in Paleozoic rocks of central Pennsylvania, (In) *Advances in Chemistry*, ser. 55, P. H. Given et al (Eds), *Coal Science*, Amer. Chem. Soc., p. 1-21.
- Swain, F. M., Palacas, J. G. and Kraft, J. C., 1966. High-calcium limestone deposits of Cumberland Valley, Pennsylvania. *Ohio Jour. Sci.*, v. 66, p. 116-123.

- Swain, F. M. and Rogers, M. A., 1966. Stratigraphic distribution of carbohydrate residues in Middle Devonian Onondaga beds of Pennsylvania and western New York. *Geochim et Cosmochim. Acta*, v. 30, 497-509.
- Swain, F. M., 1966. Bottom, sediments of Lake Nicaragua and Lake Managua,, western Nicaragua. *Jour. Sed. Petrol.*, v. 35, p. 522-540.
- McKenzie, K. G. and Swain, F. M., 1967. Ostracoda from Scammon Lagoon, Baja California. *Jour. Paleontology*, v. 41, p. 281-305.
- Swain, F. M. and Gilby, J. M., 1967. Recent Ostracoda from Corinto Bay, Nicaragua and their relationship to some other assemblages of the Pacific Coast. *Jour. Paleontology*, v. 41, p. 282-334.
- Dickinson, K. A. and Swain, F. M., 1967. Late Cenozoic freshwater Ostracoda and Cladocera from northeastern Nevada. *Jour. Paleontology*, v. 41, p. 335-350.
- Swain, F. M., Rogers, M. A., Evans, R. D. and Wolfe, R. W., 1967. Distribution of carbohydrate residues in some fossil specimens and associated sedimentary matrix and other geologic samples. *Jour. Sed. Petrol.*, v. 37, p. 12-24.
- Dolloff, J. H., Rozendal, R. A., Siratovich, E. N., Swain, F.M. and Woncik, J., 1967. Subsurface Upper Cretaceous stratigraphy of southwest Arkansas. *Gulf Coast Assoc. Geol. Soc., Trans*, v. 27, p. 76-104.
- Engel, P. L. and Swain, F. M., 1967. Environmental relationships of Recent Ostracoda in Mesquite, Aransas and Copano Bays, Texas Gulf Coast. *Gulf Coast Assoc. Geol. Soc., Trans.*, v. 27, p. 408-427.
- Swain, F. M., 1967. Stratigraphy and biochemical paleontology of Rossburg Peat (Recent), north-central Minnesota. (In) *Essays in Paleontology and Stratigraphy*, C. Teichert and E. Yochelson (Eds.), Univ. Kansas Press, Lawrence, p. 445-475.
- Swain, F. M., Bratt, J. M. and Kirkwood, S., 1967. Carbohydrate components of some Paleozoic plants. *Jour. Paleontology*, v. 41, p. 1551-1555.
- DeFord, R. K., Wilson, J. A. and Swain, F. M., 1967. Application to American Commission on Stratigraphic Nomenclature. *Amer. Assoc. Petrol. Geol. Bull*, v. 51 (9), p. 1868-1869.
- Swain, F. M., 1968. Ostracoda from the Upper Tertiary Waccamaw Formation of North Carolina and South Carolina. *U. S. Geol. Survey, Prof. Paper 573-D*, 37 p.
- Swain, F. M., Bratt, J. M. and Kirkwood, S., 1968. Possible biochemical evolution of some Paleozoic plants. *Jour. Paleontology*, v. 42, p. 1078-1082.
- Swain, F. M., Ostracoda from the Gulf of California: additions and corrections and availability of IBM data cards. *Jour. Paleontology*, v. 42 (4).

Swain, F. M., Bratt, J. M. and Kirkwood, S., 1969. Carbohydrate components of Upper Carboniferous plant fossils from Radstock, England. *Jour. Paleontology*, v. 43, p. 550-553.

Swain, F. M., Bratt, J. M. and Kirkwood, S., 1969. Carbohydrate components of Paleozoic plants. (In) *Advances in Organic Geochemistry for 1968*. Braunschweig, Fried. Vieweg u. Sohn, p. 167-180.

Swain, F. M., 1969. Paleomicrobiology. (In) *Ann. Review Microbiology*, v. 23, p. 455-472.

Swain, F. M. and Kraemer, S. A., 1969. Amino acid components of some Paleozoic plant fossils. *Jour. Paleontology*, v. 43, p. 546-550.

Swain, F.M., 1969. Taxonomy and ecology of nearshore Ostracoda from the Pacific coast of North and Central America. (In) *Taxonomy, Morphology and Ecology of Recent Ostracoda*. J. W. Neale (Ed). Oliver and Boyd, London, p. 423-474.

Swain, F. and Gilby, J. M., 1969. Some type species of freshwater Ostracoda in the British Museum (Natural History). (In) Neale, J. H., (Ed) *Taxonomy, Morphology and Ecology of Recent Ostracoda*. Edinburgh, Oliver and Boyd, p. 423-474.

Swain, F. M., Pakalns, G. V. and Bratt, J. M., 1969. Possible taxonomic interpretation of some Paleozoic and Precambrian carbohydrate residues. (In) *Advances in Organic Geochemistry for 1966*. Oxford, Pergamon Press, p. 469-491.

Swain, F. M. and Prokopovich, N. P., 1969. Biogeochemistry of Delta-Mendota Canal, Central Valley Project, California. U. S. Bur. Reclamation, Research Rept. 20, 42 p.

Swain, F. M., 1969. Humus, Geochemistry of. *McGraw-Hill Encyclopedia of Science and Technology*, p. 213-214.

Swain, F. M., 1969. Fossil carbohydrates. (In) *Organic Geochemistry-Methods and Results*, Eglinton and Murphy (Eds), New Yor, Springer Verlag, p. 374-400./

Swain, F. M., Bratt, J. M. and Kirkwood, S., 1970. Carbohydrates from Precambrian and Cambrian rocks and fossils. *Geol. Soc. Amer. Bull*, v. 81, p. 499-504.

Swain, F. M., 1971. Pleistocene Ostracoda from deep-sea sediments in the southeastern Pacific Ocean. (In) *Micropalaeontology of Oceans*, Funnell and Riedel, (Eds). Cambridge Univ. Press, p. 487-492.

Swain, F. M., 1971. Pliocene Ostracoda from deep-sea sediments in the southwest Pacific and Indian Oceans. (In) *Micropaleontology of Oceans*, Funnell and Riedel (Eds), Cambridge Univ. Press, p. 597-599.

Swain, F. M., 1971. Biogeochemistry of sediments from Broadkill Marsh, Delaware. *Jour. Sed. Petrol.*, v. 41, p. 594-599.

- Swain, F. M., Becker, J. and Dickinson, K. A., 1971. Paleocology of Nonmarine Ostracoda from the Tertiary of the western United States. (In) *Paleoecologie des Ostracodes*, H. J. Oertli, (Ed), Soc. Nat. Pet. Aquitaine, Pau, France, p. 461-487.
- Swain, F. M., 1972. Marsh gas in northern Delaware and its effects on the stability of the marsh surface. Univ. Delaware, College of Marine Studies, Tech. Rept. 5, 28 p.
- Swain, F. M. and Brown, P. M., 1972. Lower Cretaceous, Jurassic? and Triassic Ostracoda from the Atlantic coastal region. U. S. Geological Survey, Prof. Paper 795, 55 p.
- Niehaus, J. R. and Swain, F. M., 1972. Amino acids in some Middle Precambrian rocks of northern Minnesota and southern Ontario. (In) *Geology of Minnesota*, P. K. Sims and G. B. Morey, (Eds.) Minnesota Geol. Survey, St. Paul, p. 272-277.
- Brown, P. M., Miller, J. A and Swain, F. M., 1972. Structural and stratigraphic framework and spatial distribution of permeability of the Atlantic coastal plain, New York to North Carolina. U. S. Geological Survey, Prof. Paper 796, 79 p. 55 pls.
- Swain, F. M. and Bratt, J. M., 1972. Comparative carbohydrate geochemistry of bay, salt marsh and deep gulf sediments. (In) *Advances in Organic Geochemistry for 1971.*, Braunschweig, Pergamon Press, p. 414-425.
- Swain, F. M., 1973. Upper Cretaceous Ostracoda from the northeastern Pacific Ocean. *Jour. Paleontology*, v. 47, p. 711-714.
- Swain, F. M., 1973. Marsh gas from the Atlantic coastal region. (In) *Sixth Int. Meeting on Organic Geochemistry*, Paris, Proceedings, p. 673-687.
- Swain, F. M., 1974. Some Upper Miocene and Pliocene Ostracoda of the Atlantic coastal region and their use in hydrogeologic studies. U. S. Geological Survey, Prof. Paper 821, 45 p.
- Swain, F. M., 1974. Provinciality of Tertiary and Quaternary Ostracoda in the United States. (In) *Provincial Faunas in Paleontology*, C. Ross (Ed). Soc. Econ. Paleontology and Mineralogy, Tulsa, Spec. Publ. p. 129-135.
- Swain, F. M., 1974. Geochemistry of humic compounds. (In) *Humic Compounds*, H. Golterman and G. Povoledo (Eds). *Limnological Inst.*, Nieuwersluis (The Netherlands), p. 337-368.
- Swain, F. M., 1974. Varved deposits. *Encyclopaedia Britannica*, 15th Ed., p. 31-36.
- Swain, F. M. and Gilby, J. M., 1974. Marine Holocene Ostracoda from the Pacific coast of North and Central America. *Micropaleontology*, v. 20 (3), p. 257-352.
- Swain, F. M., Bratt, J. M. and Sherman, J., 1974. Biogeochemistry of marsh gas: effects of inorganic constituents of marsh gas plants on methane

evolution and carbohydrate stability in plants. Univ. Delaware, College of Marine Studies, Tech Rept. 3, 14 p.

Swain, F. M. and Kraft, J. C., 1975. Biofacies and shell structure of Holocene Ostracoda from Delaware bays. (In) *Biology and Paleobiology of Ostracoda*, F. M. Swain, L. S. Kornicker and R. L. Lundin (Eds), Ithaca, Paleontological Res. Inst., p. 601-621.

Swain, F. M., 1976. Environmental aspects of marsh gas. (In) *Interdisciplinary studies of peat and coal origins*, P. H. Given and A. D. Cohen (Eds). Geol. Soc. Amer., Microform Publ. 7, p. 144-160.

Swain, F. M., 1976. Evolution of the Family Cypridopsidae. *Abh. Verh. naturwiss. Ver. Hamburg*, v. 18/19, suppl. p. 103-118.

Swain, F. M., 1976. Cretaceous Ostracoda from the Atlantic Ocean off West Africa and the Guianas. *Jour. Paleontology*, v. 50., p. 734-753

Swain, F. M., Baysinger, J. and Bratt, J. M., 1976. Hydrocarbons obtained by pyrolysis of Precambrian rocks, Minnesota. *Origins of Life*. v. 7, p. 239-257.

Swain, F. M., 1977. Paleocological implications of Holocene and late Pleistocene Ostracoda, Lake Lahonton Basin, Nevada. (In) *Aspects of Ecology and Zoogeography of Recent and Fossil Ostracoda*, H. Loeffler and D. Danielopol, (Eds). Dr. W. Junk, The Hague, p. 309-320.

Swain, F. M., 1977. Early Paleozoic Ostracoda of Atlantic margins. (In) *Stratigraphic Micropaleontology of Atlantic Basin and Margins*, F. M. Swain (Ed). Amsterdam, Elsevier Sci., p. 19-48.

Swain, F. M., 1977. Notes on Paleozoic Acritarchs from the Atlantic Margins. (In) *Stratigraphic Micropaleontology of Atlantic Basin and Margins*, F. M. Swain (Ed). Amsterdam, Elsevier Sci., p. 137-150.

Swain, F. M., 1977. Notes on Cretaceous Ostracoda from Leg 44, DSDP. (In) *Initial Reports of the Deep Sea Drilling Program*, v. 44, p. 921-932.

Swain, F. M. and Bratt, J. M., 1978. Carbohydrate geochemistry of DSDP Leg 44 samples. (In) *Initial Reports of the Deep Sea Drilling Program*, v. 44, p. 653-654.

Swain, F. M., 1978. Some Middle Cretaceous Ostracoda from northern Spain and their interregional relationships. *Red. Espanola de Micropaleontologia*, v. 10, p. 245-265.

Swain, F. M. and Wagoner, J. L., 1979. Biostratigraphy and paleoecology of freshwater Ostracoda from Esmeralda Formation (Neogene) of western Nevada. (In) *Taxonomy, Biostratigraphy and Distribution of Ostracodes*; Proc. VII Int. Symp. on Ostracodes, N. Krstic (Ed). Serbian Geol. Soc., Beograd, p. 191-196.

McClure, H. A. and Swain, F. M., 1980. Freshwater and brackishwater Quaternary Ostracoda from the Rub' al Khali (Empty Quarter), Saudi Arabia. *Ann. Mines et de la Geologie, Tunis*, no. 28, v. 3, p. 427-441.

- Swain, F. M., 1981. Petroleum in Continental Facies. (In) Petroleum Geology of China, J. Mason (Ed) New York, United Nations, p. 53-80.
- Swain, F. M. and Bratt, J. M., 1982. Carbohydrate residues of DSDP Leg 64 samples. (In) Initial Reprts of the Deep Sea Drilling Program, v. 64, p. 881-882.
- Swain, F. M., 1981. Mesozoic Ostracoda in several C.O.S.T. Atlantic wells. (In) Microfossils from Recent and Fossil Shelf Seas, J. H. Neale and M. D. Brazier, (Eds). Chichester, Ellis Horwood, p. 90-112.
- Swain, F. M., 1982. Marine and brackish water Cretaceous Ostracoda from wells in central and southern Florida. Jour. Micropaleontology, v. 1, p. 115-128.
- Swain, F. M. and Bratt, J. M., 1982. Carbohydrate residues in core samples from the mouth of the Gulf of California. (In) Initial Reports of the Deep Sea Drilling Program, v. 65, B.T.R. Lewis, et al. (Eds), Washington, U. S. Govt. Printing Office, p. 439-440.
- Mendez, C. A. and Swain, F. M., 1983. Ostracodos cenomanenses de los secciones en los alrededores de Oviedo, Asturias. Rev. Esp. de Micropaleontologia, v. 15, p. 467-506.
- Swain, F. M., 1983. Cretaceous Ostracoda from DSDP and IPOD deep sea drilling sites. In Applications of Ostracoda, R. F. Maddocks, (Ed.), Dept. Geosciences, Univ. Houston, p. 520-528.
- Foster, C. A., Swain, F. M. and Petters, S. W., 1983. Late Paleocene Ostracoda from Nigeria. Rev. Esp. Micropaleontologia, v. 15, p. 103-166..
- Swain, F. M., 1984. Some Ostracoda from Middle Eocene (Bartonian) beds of northern and eastern Spain. Rev. Esp. Micropaleontologia, v. 17, p. 331-344.
- Swain, F. M., 1985. Some Ostracoda from the Rodessa, Pearsall, Sligo and Upper Hosston Formations (Lower Cretaceous) of Louisiana. Rev. Micropaleontologie, v. 27 (4), p. 266-294.
- Swain, F. M., 1985. Some Middle Cenozoic freshwater Ostracoda from western Nevada. Rev. Esp. Micropaleontologia, v. 17, p. 412-446.
- Swain, F. and Wagoner, J. L., 1985. Some freshwater Ostracodas from Esmeralda Formation (Neogene) of western Nevada. Rev. Esp. Micropaleontologia, v. 17, p. 123-149.
- Swain, F. M., Bratt, J. M. and Johnson, B. D., 1986. Composition of marsh gases in central and eastern United States. Applied Geochemistry, Ingerson, Vol. 1, p. 301-305.
- Swain, F. M., 1986. Late Cenozoic non-marine Ostracoda from southern Idaho. Rev. Esp. Micropaleontologia, v. 18, p. 85-114.
- Swain, F. M., 1986. Some Middle Cenozoic freshwater Ostracoda from northeastern Nevada. Rev. Esp. Micropaleontologia, v. 18, p. 181-227.

- Swain, F. M., 1986. Freshwater Ostracoda from the Cache Valley Formation (Pliocene) of southeastern Idaho. *Rev. Esp. Micropaleontologia*, v. 18, p. 363-385.
- Swain, F. M., 1987. Some Ostracoda from the Salt Lake Group and Humboldt Formation (Neogene) of northern Utah and southern Idaho. *Rev. Esp. Micropaleontologia*, v. 19, p. 113-131.
- Swain, F. M., 1987. Some Late Cretaceous? and Paleogene freshwater Ostracoda from central and eastern Nevada. *Rev. Esp. Micropaleontologia*, v. 19, p. 215-238.
- Swain, F. M., 1987. Pre-Pleistocene Tertiary freshwater ostracode assemblages in Nevada, northwestern Utah and southern Idaho. (In) *Cenozoic geology of western Utah*, R. S. Kopp and R.E. Cohenour, (Eds). Utah Geol. Assoc., Salt Lake City, p. 315-317.
- Swain, F. M., 1987. Some Oligocene and Miocene freshwater Ostracoda from central and southern Nevada and southwestern Texas. *Rev. Esp. Micropaleontologia*, v. 20, p. 413-449.
- Swain, F. M. and Cornell, J. A., 1987. Ostracoda of the Superfamilies Drepanellacea, Hollinacea, Leperditellacea and Healdacea from the Decorah Shale of Minnesota. (In) *Middle and Late Ordovician Lithostratigraphy and Biostratigraphy of the Upper Mississippi Valley*, R. E. Sloan (Ed), Minn. Geol. Survey Rept. Invest. 35, p. 103-130.
- Swain, F. M., 1987. Middle and Upper Ordovician Ostracoda of Minnesota and Iowa. (In) *Middle and Late Ordovician Lithostratigraphy and Biostratigraphy of the Upper Mississippi Valley*, R. E. Sloan (Ed), Minn. Geol. Survey, Rept. Invest 35, p. 99-101.
- Swain, F. M., He Jun-de, Ye Chun-hui and Zhang Xiao-jun, 1988. Cretaceous-Tertiary non-marine Ostracoda from the Hengyang and Dongting Basins, Hunan Province, China. *Rev. Esp. Micropaleontologia*, v. 20, p. 273-323.
- Fan Pu, Wang Tieguan and Swain, F. M., 1988. Geochemistry of oil and source beds in four Chinese Basins. (In) *Lacustrine Source Beds*, Kelts, K., Fleet, A and Talbot, M. (Eds). Oxford, Blackwells, p. 309-326.
- Swain, F. M., 1990. Miocene and Pliocene freshwater Ostracoda from California, Nevada and Oregon. *Rev. Esp. Micropaleontologia*, v. 22, p. 143-159.
- Swain, F. M., 1990. Species duration and extinction patterns in Cenozoic non-marine Ostracoda, western United States. (In) *Extinction events in earth history*, E. G. Kaufmann and O. H. Walliser (Eds), Berlin, Springer Verlag, p. 411-423.
- Swain, F. M., 1991. Application of carbohydrate residues in a study of organic facies and natural gas occurrences. *Jour. Southeastern Earth Sci.*, v. 5, p. 205-214.

- Swain, F. M., Xie Chuanli and von Hillebrandt, C. G., 1991. Some Lower Cretaceous Ostracoda from Florida and northeastern Spain. *Rev. Esp. Micropaleontologia*, v. 23, p. 75-118.
- Johnson, J. D., Benolkin, L. V. and Swain, F. M., 1991. Ostracoda from the Glenwood Shale (Ordovician-Middle Caradocian) of Minnesota. *Rev. Esp. Micropaleontologia*, v. 23, p. 141-152.
- Swain, F. M. and Xie Chmuanli, 1991. Jurassic and Lower Cretaceous Ostracoda from C.O.S.T Atlantic wells, western North Atlantic Ocean. *Rev. Esp. Micropaleontologia*, v. 23, p. 57-98.
- Swain, F. M., 1992. Bottom sediments and organic geochemical residues of some Minnesota lakes. *Minn. Geol. Survey, Ret. Invest.* 41, 65 p.
- Swain, F. M., 1992. Factors influencing ranges of Jurassic and Lower Cretaceous Ostracoda, eastern North America and western North Atlantic Ocean. *Rev. Esp. Micropaleontologia*, v. 24, p. 43-66.
- Swain, F. M., 1993. Some Ostracoda from the Lower Cretaceous of northern and eastern Spain. *Rev. Esp. Paleontologia*, v. 8, p. 14-32.
- Swain, F. M., 1993. Paleogene ostracode faunas, middle Atlantic coastal plain, U. S. A. and their relationship to sequence stratigraphy *Rev. Esp. Micropaleontologia*, v. 25, p. 113-121.
- Swain, F. M., 1994. Ostracoda from Delaware Bay. *Rev. Esp. Micropaleontologia*, v. 26, p. 25-45.
- Swain, F. M., 1995. Ostracoda from Holocene and Pleistocene lake sediments of Minnesota. *Rev. Esp. Micropaleontologia*, v. 27, (3) p. 15-67.
- Swain, F. M., Petters, S. W. and Xie Chuanli, 1995. Some Cretaceous Ostracoda from Nigeria. *Rev. Esp. Micropaleontologia*, v. 27, (2) p.41-65
- Swain, F. M., 1996. Ostracode speciation following Middle Ordovician extinction events. (In) *Biotic recovery from mass extinction events*, M. B. Hart (Ed). *Geol. Soc. Special Publ.* 102, p. 97-104.
- Swain, F. M., 1998. Ostracoda from the Swift Formation (Upper Jurassic) of Montana and Wyoming. *Rev. Esp. Micropaleontologia*, v. 30, p. 139-158.
- Sohn, I. G. and Swain, F. M., 1999. On the Sperfamily Darwinuloidacea, the type species of Darwinuloidea Mandelstam, 1956, and on the status of Chiekella Sohn and Morris, 1963 (Ostracoda). *Jour. Paleontology*, v. 73 (1), p. 159-160.
- Swain, F. M., 2000. Micro-Ostracoda from the Eocene of North Carolina: a suggested interstitial faunule. *Rev. Esp. Micropaleontologia*, v. 32 (3), p. 411-420

